

SAFETY DATA SHEET
In accordance with Regulation (EU) 2020/878
ANTICOR Wrap Primer 727

Compilation date: 20.06.2017

Revision: 15.03.2025

Version: 3.0 ENG

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: **ANTICOR Wrap Primer 727**
Contains: xylene - mixture of isomers
UFI: Q300-F0F4-8006-G3SG

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Solvent primer for the building industry. For professional and industrial use.

Uses advised against: Not specified.

1.3. Details of the supplier of the safety data sheet

Supplier: ANTICOR Sp. z o.o.
Address: Wygoda 28, 32-020 Wieliczka, Poland
Telephone No/Fax No: +48 12 288 33 33 / +48 12 278 53 26
E-Mail: anticor@anticor.pl

1.4. Emergency telephone number

+48 12 288 33 33 (available from Monday till Friday during office hours: 8 am – 4 pm)
112 (24h)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Hazard	Classification
	According to Regulation (EC) no. 1272/2008
for physical-chemical properties:	Flam Liq. 3, H226 Flammable liquid and vapour.
for health hazards:	Acute Tox. 4, H312 Harmful in contact with skin. H332 Harmful if inhaled. Skin Irrit. 2, H315 Causes skin irritation. Eye Irrit. 2, H319 Causes serious eye irritation. STOT SE 3, H335 May cause respiratory irritation. STOT RE 2, H373 May cause damage to organs through prolonged or repeated exposure. Asp. Tox. 1, H304 May be fatal if swallowed and enters airways.
for environmental hazards:	Not classified

2.2. Label elements



Hazard pictogram(s): GHS02

GHS07

GHS08

Signal word(s): Danger

Hazard statement(s):

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H312+H332 Harmful in contact with skin or if inhaled.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.



SAFETY DATA SHEET
In accordance with Regulation (EU) 2020/878
ANTICOR Wrap Primer 727

Compilation date: 20.06.2017

Revision: 15.03.2025

Version: 3.0 ENG

Precautionary statement(s):

- P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
- P264 Wash hands thoroughly after handling.
- P280 Wear protective gloves/eye protection/face protection.
- P312 Call a POISON CENTER/ doctor if you feel unwell.
- P370+P378 In case of fire: Use dry chemical powder, carbon dioxide or water spray to extinguish.
- P501 Dispose of contents/containers in accordance with local/regional/national/international regulations.

Additional labeling:

VOC (Directive 2004/42/EC): Binding primers.

VOC given in g/litre of product in a ready-to-use condition: Limit value: 750 (2010)
VOC of product: 650,00

2.3. Other hazards

The product does not contain components that are classified as PBT/vPvB.

The product does not contain components that are included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 % by weight.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

<u>Substance name</u>	<u>% mass</u>	<u>Product identifier</u>	<u>Regulation (EC) No 1272/2008 (CLP)</u>	
			<u>Hazard class</u>	<u>H-phrases</u>
Xylene, mixture of isomers*	55 - 70	CAS nr: 1330-20-7 EC nr: 215-535-7 Index nr: 601-022-00-9 Registration nr: 01-2119488216-32-xxxx	Flam. Liq. 3 Acute Tox. 4 Acute Tox. 4 Skin Irrit. 2 STOT RE 2 Asp. Tox. 1 Eye Irrit. 2 STOT SE 3	H226 H312 H332 H315 H373 H304 H319 H335
n-Butyl acetate*	2,5 - 5	CAS nr: 123-86-4 EC nr: 204-658-1 Index nr: 607-025-00-1 Registration nr: 01-2119485493-29-xxxx	Flam. Liq. 3 STOT SE 3	H226 H336 EUH066

* substance with exposure limits in the workplace

The product does not contain other substances presenting health or environmental hazard above the concentration limits given in the regulations.

The text of the H-phrases is shown in section 16 of the safety data sheet.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation:

Remove victim to fresh air. When any symptoms persists get medical attention.

Contact with skin:

Take off contaminated clothing and wash it before re-use. Wash skin thoroughly with soap and water, then flush with a plenty of water. Get medical attention immediately.

Contact with eyes:

Flush eyes with plenty of water for at least 15 minutes holding the eyelids open, remove contact lenses if present. Do not use neutralizing agents. When an irritation persists, consult an ophthalmologist.

Ingestion:

Get medical attention immediately. Do not induce vomiting. Do not give anything by mouth unless suggested by



SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICOR Wrap Primer 727

Compilation date: 20.06.2017

Revision: 15.03.2025

Version: 3.0 ENG

a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation: drowsiness, dizziness, CNS disorders, headache, respiratory system irritation, nausea, vomiting, chemical pneumonia and pulmonary oedema.

Contact with skin: irritation, redness, swelling, skin dryness and cracking, itching.

Contact with eyes: irritation, redness, swelling, pain, tearing

Ingestion: abdominal pain, nausea, vomiting, diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

As a general rule, in case of doubt or if symptoms persist, always call a doctor. Do not give anything to eat or drink to an unconscious person. Do not induce vomiting. Show the safety data sheet or label/ packaging to a person providing first aid.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media: foam, dry powder, carbon dioxide.

Unsuitable Extinguishing Media: water jets.

5.2. Special hazards arising from the substance or mixture

Excess pressure may be formed in containers exposed to fire - risk of explosion. Dangerous decomposition products may be formed during combustion - do not breathe vapours, it may be hazardous to your health.

5.3. Advice for firefighters

Cool containers with water spray and remove them into safe place. Prevent from entering contaminated water into sewers, rivers or other bodies of water. Dispose of waste water in compliance with current legislation. People should be properly trained and equipped with proper clothing and safety equipment. Use fire resistant protective clothing, breathing apparatus and eye protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate unnecessary personnel. Do not inhale vapour/mist. Remove sources of ignition. Use adequate personal protective equipment as required in Section 8 of the safety data sheet.

6.2. Environmental precautions

Prevent from entering into drains, surface water and groundwater.

6.3. Methods and material for containment and cleaning up

Stop the leakage if possible. Cover spillage with an inert material eg. activated carbon, earth, sand, vermiculite, diatomite and then collect to a labelled container. Dispose of waste in compliance with current legislation.

6.4. Reference to other sections

Refer to Sections 8 and 13 of the safety data sheet.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Take precautions against electrostatic discharge and accumulation of vapours. Provide adequate ventilation. Handle uncleaned empty containers as full ones. Do not use compressed air during transport - explosion and fire hazard. Never eat, drink or smoke during use. Always wash hands with soap and water before and after work. Use adequate personal protective equipment as required in Section 8 of the safety data sheet.



SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICOR Wrap Primer 727

Compilation date: 20.06.2017

Revision: 15.03.2025

Version: 3.0 ENG

7.2. Conditions for safe storage, including any incompatibilities

Store in cool area, in tightly closed, properly labelled, original containers. Keep away from heat sources, ignition sources, oxidizing agents.

7.3. Specific end use(s)

Not known.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Xylene, mixture of isomers (CAS 1330-20-7): PL: NDS: 100 mg/m³, NDSCh: 200 mg/m³, NDSP: –, dermal

EU: 8h: 221 mg/m³, 50 ppm, 15 min: 442 mg/m³, 100 ppm

UK: 8h: 220 mg/m³, 50 ppm, 15 min: 441 mg/m³, 100 ppm

n-Butyl acetate (CAS 123-86-4) PL: NDS: 240 mg/m³, NDSCh: 720 mg/m³, NDSP: –

EU: not applicable

UK: 8h: 724 mg/m³, 150 ppm, 15 min: 966 mg/m³, 200 ppm

Xylene (CAS 1330-20-7):

DNEL 12,5 mg/kg/day (oral, worker)

DNEL 212 mg/kg/day (dermal, worker)

DNEL 221 mg/m³ (inhalation, worker)

8.2. Exposure controls

Appropriate engineering controls:

Work under local exhaust/ventilation. Recommended eyewash facilities and safety showers.

Eye/face protection:

Protective glasses with side shields, googles or face shield depending on application (EN166).

Skin protection:

Solvent resistant rubber gloves e.g. nitrile rubber or butyl rubber (EN374). Wear suitable protective clothing and boots.

Respiratory protection:

Gas mask with filter for organic vapours (A type) (EN143) when exposure limits are exceeded.

Thermal hazards:

Not known.

Environmental exposure controls:

Precautions should be made against environmental contamination.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

a) Physical state	: Liquid
b) Colour	: Amber
c) Odour	: Aromatic
d) Melting point/freezing point	: Not available
e) Boiling point or initial boiling point and boiling range	: 136-143°C
f) Flammability	: Flammable liquid and vapour.
g) Lower and upper explosion limit	: 1 % obj. (xylene) / 8 % obj. (xylene)
h) Flash point	: 27°C
i) Auto-ignition temperature	: >450°C
j) Decomposition temperature	: Not available
k) pH	: Not applicable
l) Kinematic viscosity	: <20,5 mm ² /s at 40°C
m) Solubility	: Insoluble in water



ANTICOR Wrap Primer 727

Compilation date: 20.06.2017

Revision: 15.03.2025

Version: 3.0 ENG

n) Partition coefficient n-octanol/water (log value)	: Not available
o) Vapour pressure	: 8 hPa (xylene)
p) Density and/or relative density	: 0,88 - 0,94 g/cm ³ at 20°C
q) Relative vapour density	: Not available
r) Particle characteristics	: Not applicable

9.2. Other information

VOC content (directive 2004/42/CE) : 69,95% - 615-650 g/l

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

The mixture is not reactive.

10.2. Chemical stability

The mixture is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3. Possibility of hazardous reactions

Vapours may form explosive mixtures with air.

10.4. Conditions to avoid

Avoid overheating. Avoid electrostatic discharges. Heat sources, ignition sources.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

Not known. Hazardous combustion products are listed in Section 5 of the safety data sheet.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity:

Harmful in contact with skin. Harmful if inhaled.

ATE mix oral: >2000 mg/kg

ATE mix dermal: 1000-2000 mg/kg

ATE mix inhalation: 10-20 mg/l

Xylene - mixture of isomers: LD50: 4300 mg/kg (oral, rat)

LD50: 2000 mg/kg (dermal, rabbit)

n-Butyl acetate: LD50: 13100 mg/kg (oral, rat)

LD50: >5000 mg/kg (dermal, rabbit)

LC50: >21 mg/l (4h, inhalation, rat)

Skin corrosion/irritation:

Causes skin irritation.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory or skin sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Carcinogenicity:

Based on available data, the classification criteria are not met.

Reproductive toxicity:

Based on available data, the classification criteria are not met.



ANTICOR Wrap Primer 727

Compilation date: 20.06.2017

Revision: 15.03.2025

Version: 3.0 ENG

STOT-single exposure:

May cause respiratory irritation.

STOT-repeated exposure:

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard:

May be fatal if swallowed and enters airways.

11.2. Information on other hazards

Endocrine disrupting properties: not applicable.

Other hazards: not known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Based on available data, the classification criteria are not met.

12.2. Persistence and degradability

Most of the mixture's components are readily biodegradable in water.

12.3. Bioaccumulative potential

Data not available.

12.4. Mobility in soil

Data not available.

12.5. Results of PBT and vPvB assessment

The mixture does not contain substances classifies as PBT or vPvB in concentration above 0.1%.

12.6. Endocrine disrupting properties

Not known.

12.7. Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Recycle or dispose of waste in compliance with current legislation. Remove to an authorised waste management company. Do not discharge into drains.

Packaging: Recycle or dispose of waste in compliance with current legislation.

Directive 2008/98/EC of the European Parliament and of the Council of the Member State.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number or ID number	UN 1263
14.2. UN proper shipping name	PAINT
14.3. Transport hazard class(es)	3
14.4. Packing group	III
14.5. Environmental hazards	No
14.6. Special precautions for user	Limited Quantities: 5L
14.7. Maritime transport in bulk according to IMO instruments	Not applicable

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing



SAFETY DATA SHEET
In accordance with Regulation (EU) 2020/878
ANTICOR Wrap Primer 727

Compilation date: 20.06.2017

Revision: 15.03.2025

Version: 3.0 ENG

Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

Seveso - Directive 2012/18/WE: P5c

Annex XVII of REACH (restrictions): 3, 40

Annex XIV REACH (authorization): not applicable

Candidate List - SVHC: not applicable

15.2. Chemical safety assessment

Chemical safety assessment has not been carried out for the mixture- it is not required.

SECTION 16: OTHER INFORMATION

Classification method:

Classification is based on calculation method, information on the mixture's components and test results in accordance with criteria listed in CLP Regulation.

Changes made in the safety data sheet during revision:

Section 1, 2.3, 3, 8, 9, 10.5, 11, 12, 15, 16.

Legend to abbreviations and acronyms used in the safety data sheet:

NDS	Occupational Exposure Limit (Poland)
NDSCh	Short-term Occupational Exposure Limit (Poland)
NDSP	Threshold limit value – ceiling (Poland)
OELs	Occupational Exposure Limits
vPvB	Very persistent and very bioaccumulative (substance)
PBT	Persistent, bioaccumulative and toxic (substance)
PNEC	Predicted No Effect Concentration
DNEL	Derived No Effect Levels
LD50	The dose of a tested substance causing 50% lethality during a specified time interval.
LC50	Concentration of a tested substance causing 50% lethality during a specified time interval
EC50	Concentration of a tested substance causing 50% changes in response (e.g. on growth) during a specified time interval

Literature references and sources for data:

Regulations/legislations mentioned in sections 2 – 15 of safety data sheet. Information supplied by the manufacturer (SDS). ECHA database.

List of relevant hazard statements and/or precautionary statements, which are not written out in full under Sections 2 to 15:

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
EUH066	Repeated exposure may cause skin dryness or cracking.



SAFETY DATA SHEET

In accordance with Regulation (EU) 2020/878

ANTICOR Wrap Primer 727

Compilation date: 20.06.2017

Revision: 15.03.2025

Version: 3.0 ENG

Advice on any training appropriate for workers to ensure protection of human health and the environment:

Workers that use the product should be trained and informed about personal protection, accident procedure, etc.

Exposure scenarios:

data is included in sections of the MSDS.

Information in this safety data sheet is correct to the best of our knowledge, information and belief at the date of its publication. Information provided herein serves only as guidelines for safe work, use, processing, storage, and waste management. It cannot be considered as a warranty or quality certificate. This information applies only to specific material designated and may not be suitable for such material used in combination with any other materials or in any other manner not described in this document.

Prepared by **Mia-Che** www.mia-che.pl for ANTICOR Sp. z o.o.

Page 8 of 8



WIELICZKA 32-020, ul. Wygoda 28, tel: +48 12/288-33-33, fax: +48 12/278-53-26
www.anticor.pl, e-mail: anticor@anticor.pl